


20. April 2023


Configuration	AL400722 + AR403722 Front	Min. Work depth	35 7/16" (900mm)	Ventilation mode	Extraction
Type reference cooktops	CX482611 – VP414611	Type reference ventilation appliance	AL 400 722	Type reference remote fan unit	AR 403 722

Installation view



20. April 2023


Configuration	AL400722 + AR403722 Front	Min. Work depth	35 7/16" (900mm)	Ventilation mode	Extraction
Type reference cooktops	CX482611 – VP414611	Type reference ventilation appliance	AL 400 722	Type reference remote fan unit	AR 403 722



20 April 2023

Configuration	AL400722 + AR403722 Front	Min. Work depth	35 7/16" (900mm)	Ventilation mode	Extraction
Type reference cooktops	CX482611 – VP414611	Type reference ventilation appliance	AL 400 722	Type reference remote fan unit	AR 403 722

Top view



Cut out dimension. Flush mounting



*: Minimum distance. Distance can be adjusted
**: Recommended distance.

(inside parenthesis) = mm

20 April 2023

Configuration	AL400722 + AR403722 Front	Min. Work depth	35 7/16" (900mm)	Ventilation mode	Extraction
Type reference cooktops	CX482611 – VP414611	Type reference ventilation appliance	AL 400 722	Type reference remote fan unit	AR 403 722

Top view



(inside parenthesis) = mm


GAGGENAU

BSH Hausgeräte GmbH, Carl-Wery-Straße 34, 81739 Munich, Germany
Chairman of the Supervisory : Prof. Dr. Stefan Asenkerschbaumer
Directors : Dr. Gerhard Dambach (Chairman), Matthias Ginthum, Lars Schubert
Registered Office : Munich; Registry Court : Amtsgericht München, HRB 75534 WEEE-Reg.-Nr. DE 57986696

The drawing is provided only as an example.
Please pay attention to the technical installation drawings in the Gaggenau Models and Dimensions. The technical drawings are not based on customer data and are merely for installation recommendation. The exact installation must be verified by the kitchen studio on an individual customer basis.

20. April 2023

Configuration	AL400722 + AR403722 Front	Min. Work depth	35 7/16" (900mm)	Ventilation mode	Extraction
Type reference cooktops	CX482611 – VP414611	Type reference ventilation appliance	AL 400 722	Type reference remote fan unit	AR 403 722




BSH Hausgeräte GmbH, Carl-Wery-Strasse 34, 81739 Munich, Germany
Chairman of the Supervisory Board: Uwe Raschke
Directors: Dr. Karsten Ottenberg (Chairman), Matthias Ginthum, Johannes Närgel, Dr. Michael Schöllhorn
Registered Office: Munich; Registry Court: Amtsgericht München, HRB 75534, WEEE-Reg.-No. DE 57986696

The drawing is provided only as an example.
Please pay attention to the technical installation drawings in the Gaggenau Models and Dimensions. The technical drawings are not based on customer data and are merely for installation recommendation. The exact installation must be verified by the kitchen studio on an individual customer basis.


20. April 2023

Configuration	AL400722 + AR403722 Front	Min. Work depth	35 7/16" (900mm)	Ventilation mode	Extraction
Type reference cooktops	CX482611 – VP414611	Type reference ventilation appliance	AL 400 722	Type reference remote fan unit	AR 403 722



20. April 2023

Configuration	AL400722 + AR403722 Front	Min. Work depth	35 7/16" (900mm)	Ventilation mode	Extraction
Type reference cooktops	CX482611 – VP414611	Type reference ventilation appliance	AL 400 722	Type reference remote fan unit	AR 403 722




Configuration	AL400722 + AR403722 Front	Min. Work depth	35 7⁄16" (900mm)	Ventilation mode	Extraction
Type reference cooktops	CX482611 – VP414611	Type reference ventilation appliance	AL 400 722	Type reference remote fan unit	AR 403 722

Information about the wall outlet AD 850 050



AD 850 050




[illegible]**GAGGENAU**

Technical drawing of a cabinet showing internal dimensions. The drawing includes a top view and a side view. The top view shows a rectangular cabinet with a central rectangular cutout. The side view shows the cabinet's height and the depth of the cutout. Dimensions are given in inches and millimeters. The cutout dimensions are $12 \frac{5}{8}$ inches (320 mm) by $12 \frac{5}{8}$ inches (320 mm). The cabinet height is at least 5 inches (130 mm). The drawing also shows a rectangular cutout in the top panel of the cabinet.

Diagram illustrating the installation of a sink into a cabinet. The sink is shown being lowered into the cabinet opening. Dimensions are provided: the sink opening is $12 \frac{5}{8}$ " (320) wide and $12 \frac{5}{8}$ " (320) deep. The cabinet opening is 4-5" (100-130) deep. A note indicates that dimensions in parentheses are in millimeters.


The drawing is provided only as an example.
Please pay attention to the technical installation drawings in the Gaggenau Models and Dimensions. The technical drawings are not based on customer data and are merely for installation recommendation. The exact installation must be verified by the kitchen studio on an individual customer basis.

Configuration	AL400722 + AR403722 Front	Min. Work depth	35 7/16" (900mm)	Ventilation mode	Extraction
Type reference cooktops	CX482611 – VP414611	Type reference ventilation appliance	AL 400 722	Type reference remote fan unit	AR 403 722



20. April 2023

Configuration	AL400722 + AR403722 Front	Min. Work depth	35 7/16" (900mm)	Ventilation mode	Extraction
Type reference cooktops	CX482611 – VP414611	Type reference ventilation appliance	AL 400 722	Type reference remote fan unit	AR 403 722




BSH Hausgeräte GmbH, Carl-Wery-Strasse 34, 81739 Munich, Germany
Chairman of the Supervisory Board: Uwe Raschke
Directors: Dr. Karsten Ottenberg (Chairman), Matthias Ginthum, Johannes Närgen, Dr. Michael Schöllhorn
Registered Office: Munich; Registry Court: Amtsgericht München, HRB 75534, WEEE-Reg.-No. DE 57986696

The drawing is provided only as an example.
Please pay attention to the technical installation drawings in the Gaggenau Models and Dimensions. The technical drawings are not based on customer data and are merely for installation recommendation. The exact installation must be verified by the kitchen studio on an individual customer basis.

20. April 2023

Configuration	AL400722 + AR403722 Front	Min. Work depth	35 7⁄16" (900mm)	Ventilation mode	Extraction
Type reference cooktops	CX482611 – VP414611	Type reference ventilation appliance	AL 400 722	Type reference remote fan unit	AR 403 722

Bill of material



Position	Quantity	Part number	Appliance Design / Accessories Design
1	1	VP 414 611	Vario Teppan Yaki 400 series
2	1	CX 482 611	Full Surface induction 400 series
3	1	AL 400 722	Retractable downdraft (36")
4	2	AR 403 722	400 series extraction blower
5	1	AD 754 049	Connecting piece AL DN150
6	2	AD 854 032	Flat Duct adapter Round 90°
7	4	AD 858 010	Flat duct flex pipe Metal DN 150 flat Length 1000 mm
8	2	AD 854 041	Flat Duct adapter Round
9	1	AD 854 010	Flat duct. Length. 39 6⁄16" (1000mm)
10	1	AD 854 040	Flat Duct connecting piece
11	1	AD 850 050	Wall outlet DN150 flat
12	1	AD 990 091	Aluminium Adhesive tape (10m)
13	1	AA 409 431	Furniture support for AL 400 792. Width 46 5⁄8"
14	1	VA 420 000	Connection strip